Murray Hill Parkway Site
September 30, 1992

Report No.: J078-SIP
Rev. No.: 0

CONFIDENTIAL - NOT FOR PUBLIC RELEASE

Summary and Recommendation

The recommendation **SITE EVALUATION ACCOMPLISHED** is given to the Murray Hill Parkway Site. The existing information, data, and additional information collected were sufficient to evaluate the site to determine that no further CERCLA remedial action is needed. This assessment indicates that there is a minimal impact to human and environmental receptors applicable to each pathway evaluation because of the significant distance from the site to those receptors. The recent sampling results indicate no significant concentration of any contaminant attributable to site activities.

DECLASSIFIED

Date: 1/6/16 Initial: jl

246550

APPENDIX D

SITE INSPECTION WORKSHEETS

DRAFT CONFIDENTIAL - NOT FOR PUBLIC RELEASE

Site Name: Murray Hill Parkway Site (MHPS)
Date:

GENERAL INFORMATION (continued)

Source Descriptions:

- Previous storage of 200 drums of ink waste; no longer stored.
- contaminated soil from spills and poor housekeeping.

Hazardous Waste Quantity (HWQ) Calculations:
(See SI Tables 1 and 2)

Multisource site

- 3-4 Acres of contaminated soil → $\frac{4}{0.78} = 5.13$
- 200 Drums → $\frac{200}{10} = 20$

20,00
5.13
25.13 = 10 HWQ

HWQ = 10

DRAFT CONFIDENTIAL - NOT FOR PUBLIC RELEASE Site Name: MHPS
Date:

SI TABLE 1: HAZARDOUS WASTE QUANTITY (HWQ) SCORES FOR SINGLE SOURCE SITES AND FORMULAS FOR MULTIPLE SOURCE SITES

TIER	SOURCE TYPE	SINGLE SOURCE SITES (assigned HWQ scores)				MULTIPLE SOURCE SITES
		HWQ = 10	*HWQ = 100*	*HWQ = 10,000*	HWQ = 1,000,000	Formula for Assigning Source WQ Values
CONSTITUENT	N/A	≤100 lbs	>100 to 10,000 lbs	>10,000 to 1,000,000 lbs	>1,000,000 lbs	*lbs ÷ 1*
WASTESTREAM	N/A	≤500,000 lbs	>500,000 to 50 million lbs	>50 million to 5 billion lbs	>5 billion lbs	*lbs ÷ 5,000*
VOLUME	Landfill	≤6.75 million ft³ ≤250,000 yd³	>6.75 million to 675 million ft³ >250,000 to 25 million yd³	>675 million to 67.5 billion ft³ >25 million to 2.5 billion yd³	>67.5 billion ft³ >2.5 billion yd³	*ft³ ÷ 67,500* *yd³ ÷ 2,500*
	Surface impoundment	≤6,750 ft³ ≤250 yd³	>6,750 to 675,000 ft³ >250 to 25,000 yd³	>675,000 to 67.5 million ft³ >25,000 to 2.5 million yd³	>67.5 million ft³ >2.5 million yd³	*ft³ ÷ 67.5* *yd³ ÷ 2.5*
	Drums	≤1,000 drums	>1,000 to 100,000 drums	>100,000 to 10 million drums	>10 million drums	*drums ÷ 10*
	Tanks and non-drum containers	≤50,000 gallons	>50,000 to 5 million gallons	>5 million to 500 million gallons	>500 million gallons	*gallons ÷ 500*
	Contaminated soil	≤6.75 million ft³ ≤250,000 yd³	>6.75 million to 675 million ft³ >250,000 to 25 million yd³	>675 million to 67.5 billion ft³ >25 million to 2.5 billion yd³	>67.5 billion ft³ >2.5 billion yd³	*ft³ ÷ 67,500* *yd³ ÷ 2,500*
	Pile	≤6,750 ft³ ≤250 yd³	>6,750 to 675,000 ft³ >250 to 25,000 yd³	>675,000 to 67.5 million ft³ >25,000 to 2.5 million yd³	>67.5 million ft³ >2.5 million yd³	*ft³ ÷ 67.5* *yd³ ÷ 2.5*
AREA	Landfill	≤340,000 ft² ≤7.8 acres	>340,000 to 34 million ft² >7.8 to 780 acres	>34 million to 3.4 billion ft² >780 to 78,000 acres	>3.4 billion ft² >78,000 acres	*ft² ÷ 3,400* *acres ÷ 0.078*
	Surface impoundment	≤1,300 ft² ≤0.029 acres	>1,300 to 130,000 ft² >0.029 to 2.9 acres	>130,000 to 13 million ft² >2.9 to 290 acres	>13 million ft² >290 acres	*ft² ÷ 13* *acres ÷ 0.00029*
	Contaminated soil	≤3.4 million ft² ≤78 acres	>3.4 million to 340 million ft² >78 to 7,800 acres	>340 million to 34 billion ft² >7,800 to 780,000 acres	>34 billion ft² >780,000 acres	*ft² ÷ 34,000* *acres ÷ 0.78*
	Pile*	≤1,300 ft² ≤0.029 acres	>1,300 to 130,000 ft² >0.029 to 2.9 acres	>130,000 to 13 million ft² >2.9 to 290 acres	>13 million ft² >290 acres	*ft² ÷ 13* *acres ÷ 0.00029*
	Land treatment	≤27,000 ft² ≤0.62 acres	>27,000 to 2.7 million ft² >0.62 to 62 acres	>2.7 million to 270 million ft² >62 to 6,200 acres	>270 million ft² >6,200 acres	*ft² ÷ 270* *acres ÷ 0.0062*

1 ton = 2,000 lbs = 1 yd³ = 4 drums = 200 gallons
* Use area of land surface under pile, not surface area of pile.

SI TABLE 2: HWQ SCORES FOR MULTIPLE SOURCE SITES

Source WQ Total	HWQ Score
>9 to 100	10
>100 to 10,000	100
>10,000 to 1 million	10,000

DRAFT CONFIDENTIAL - NOT FOR PUBLIC RELEASE

Site Name: MHPS
Date:

SI TABLE 3: SOURCE HAZARDOUS SUBSTANCE SUMMARY

Source ID: Contaminated Soil

Hazardous Substance	Toxicity	GW Toxicity/ Mobility	Toxicity/ Persistence	Toxicity/ Persistence/ Bioaccumulation	Ecotoxicity/ Persistence/ Ecobioaccumulation	Air Toxicity/ Mobility
LEAD	10,000	100	10,000	5×10^7	5×10^6	2
ZINC	10	0.1	10	5×10^5	5×10^6	0.002
AROCLOR-1254 (PCB)	10,000	1	10,000	5×10^8	5×10^3	2
Highest Value	10,000	100	10,000	5×10^8	5×10^8	2

Source ID: _____

Highest Value						

Source ID: _____

Highest Value						

Highest Value (All Sources)	10,000	100	10,000	5×10^9	5×10^8	2

CONFIDENTIAL -
NOT FOR PUBLIC RELEASE

Site Name: MHPS
Date:

DRAFT
NOV 6 1991

GROUND WATER PATHWAY WORKSHEET

9

LIKELIHOOD OF RELEASE	Score	Data Type	References
1. OBSERVED RELEASE: If sampling data or direct observation support a release to ground water, assign a score of 550. Record observed release substances on SI Table 4.			
2. NO OBSERVED RELEASE: If sampling data do not support a release to ground water, and the site is in karst terrain or the depth to aquifer is 70 feet or less, assign a score of 500; otherwise, assign a score of 340.	500		
LR =	500		

TARGETS			
Are any wells part of a blended system? Yes ___ No ___ If yes, attach a page to show apportionment calculations.			
3. ACTUAL CONTAMINATION TARGETS: If analytical evidence indicates that any drinking-water well has been exposed to a hazardous substance from the site, calculate the factor score based on the number of people served by using SI Table 5. Level I: _____ people x 10 = _____ Level II: _____ people x 1 = _____ Total =	0		
4. POTENTIAL CONTAMINATION TARGETS: Determine the number of people served by drinking-water wells that are not exposed to a hazardous substance from the site; record the population for each distance category in SI Table 6a or 6b, and assign the total population score.	132		
5. NEAREST WELL: Assign a score of 50 for any Level I Actual Contamination Targets. Assign a score of 45 if there are Level II targets but no Level I targets. If no Actual Contamination Targets exist, assign the Nearest Well score from SI Table 6a or 6b. If no drinking-water wells exist within 4 miles, assign 0.	3		
6. WELLHEAD PROTECTION AREA (WHPA): If any source lies within or above a WHPA, or if a ground water observed release has occurred within a WHPA, assign a score of 20; assign 5 if neither condition applies but a WHPA is within 4 miles; otherwise assign 0.	0		
7. RESOURCES	5		
T =	140		

DRAFT
6 1991

Site Name: MHPS
Date:

DRAFT

CONFIDENTIAL - NOT FOR PUBLIC RELEASE

SI TABLE 6: VALUES FOR POTENTIAL CONTAMINATION GROUND WATER TARGET POPULATIONS IN NON-KARST AQUIFERS

Distance from Site	Population	Nearest Well (choose highest)	Population Served by Wells Within Distance Category: 1 to 10	11 to 30	31 to 100	101 to 300	301 to 1,000	1,001 to 3,000	3,001 to 10,000	10,001 to 30,000	30,001 to 100,000	100,001 to 300,000	Population Value
0 to ¼ mile	0	20	1	2	5	16	52	163	521	1,633	5,214	16,325	0
>¼ to ½ mile	0	18	1	1	3	10	32	101	323	1,012	3,233	10,121	0
>½ to 1 mile	0	9	1	1	2	5	17	52	167	522	1,668	5,224	0
>1 to 2 miles	0	5	1	1	1	3	9	29	94	294	939	2,938	0
>2 to 3 miles	3	(3)	(1)	1	1	2	7	21	68	212	678	2,122	1
>3 to 4 miles	27,000	2	1	1	1	1	4	13	42	(131)	417	1,306	131
Nearest Well =		3										Score =	132

SI TABLE 7: VALUES FOR POTENTIAL CONTAMINATION GROUND WATER TARGET POPULATIONS IN KARST AQUIFERS

Distance from Site	Population	Nearest Well (use 20 for karst)	Population Served by Wells Within Distance Category: 1 to 10	11 to 30	31 to 100	101 to 300	301 to 1,000	1,001 to 3,000	3,001 to 10,000	10,001 to 30,000	30,001 to 100,000	100,001 to 300,000	Population Value
0 to ¼ mile		20	1	2	5	16	52	163	521	1,633	5,214	16,325	
>¼ to ½ mile		20	1	1	3	10	32	101	323	1,012	3,233	10,121	
>½ to 1 mile		20	1	1	3	8	26	82	261	816	2,607	8,162	
>1 to 2 miles		20	1	1	3	8	26	82	261	816	2,607	8,162	
>2 to 3 miles		20	1	1	3	8	26	82	261	816	2,607	8,162	
>3 to 4 miles		20	1	1	3	8	26	82	261	816	2,607	8,162	
Nearest Well =												Score =	

DRAFT

CONFIDENTIAL -
NOT FOR PUBLIC RELEASE

Site Name: MHPS
Date:

GROUND WATER PATHWAY (concluded)

WASTE CHARACTERISTICS

8. If you have identified any Actual Contamination Targets for ground water, assign the hazardous waste quantity score calculated on page 4, or a score of 100, whichever is GREATER; if you have NOT identified any Actual Contamination Targets for ground water, assign the hazardous waste quantity score calculated on page 4.	10	
9. Assign the highest ground water toxicity/mobility value from SI Table 3 or 4.	100	
10. Multiply the ground water toxicity/mobility and waste quantity scores. Assign the Waste Characteristics score from the table below:	WC = 6	

Product	WC Score	Product	WC Score
0	0	10,000 to <1E+05	10
>0 to <10	1	1E+05 to <1E+06	18
10 to <100	2	1E+06 to <1E+07	32
100 to <1,000	3	1E+07 to <1E+08	56
1,000 to <10,000	6	1E+08 or greater	100

GROUND WATER PATHWAY SCORE:
(subject to a maximum of 100)

$$\frac{LR \times T \times WC}{82{,}500} = 5.09$$

DRAFT

CONFIDENTIAL - NOT FOR PUBLIC RELEASE

Site Name: MHPS
Date:

NOV 6 1991

SURFACE WATER PATHWAY
LIKELIHOOD OF RELEASE AND DRINKING WATER THREAT WORKSHEET

14

LIKELIHOOD OF RELEASE

	Score	Data Type	References
1. OBSERVED RELEASE: If sampling data or direct observation support a release to surface water, assign a score of 550. Record observed release substances on SI Table 7.			
2. NO OBSERVED RELEASE: If sampling data do not support a release to surface water, use the table below to assign a score based on distance to surface water and flood frequency.	500		
LR =	500		

Distance to suface water <2500 feet	500
Distance to surface water >2500 feet, and	
Site in annual or 10-yr floodplain	500
Site in 100-yr floodplain	400
Site in 500-yr floodplain	300
Site outside 500-yr floodplain	100

DRINKING WATER THREAT TARGETS

3. Record the water body type, flow (if applicable), and number of people served by each drinking-water intake within the target distance limit. If there is no drinking-water intake within the target distance limit, assign 0 to factors 4, 5, and 6.

Intake Name	*Water Body Type*	*Flow*	*People Served*
		____cfs	
		____cfs	
		____cfs	

Score: 0

Are any intakes part of a blended system? Yes ___ No ___
If yes, attach a page to show apportionment calculations.

4. ACTUAL CONTAMINATION TARGETS: If analytical evidence indicates that any drinking-water intake listed above has been exposed to a hazardous substance from the site, list the intake name and calculate the factor score based on the intake population from SI Table 8.

_____, _____

Level I: _____ people x 10 = _____
Level II: _____ people x 1 = _____ *Total* = 0

5. POTENTIAL CONTAMINATION TARGETS: Determine the number of people served by drinking-water intakes that have not been exposed to a hazardous substance from the site, and assign the total population score from SI Table 9. — Score: 0

6. NEAREST INTAKE: Assign a score of 50 for any Actual Contamination Targets. Assign a score of 45 if there are Level II targets but no Level I targets. If no Actual Contamination Targets exist, assign the nearest intake score from SI Table 9. If no drinking-water intakes exist, assign 0. — Score: 0

7. RESOURCES — Score: 0

T = 0

DRAFT

NOV 6 1991

DRAFT

Site Name: MHPS
Date:

SI TABLE 10: VALUES FOR POTENTIAL CONTAMINATION SURFACE WATER TARGET POPULATIONS

Face Water y Flow racteristics SI Table 11)	Population	Nearest Intake (cheese Highest)	Population Served by Intakes Within Flow Category: 1 to 30	31 to 100	101 to 300	301 to 1,000	1,001 to 3,000	3,001 to 10,000	10,001 to 30,000	30,001 to 100,000	100,001 to 300,000	300,001 to 1,000,000	1,000,001 to 3,000,000	Population Value
) cfs		20	2	5	16	52	163	521	1,633	5,214	16,325	52,136	163,246	
o 100 cfs		2	1	1	2	5	16	52	163	521	1,633	5,214	16,325	
)0 to 1,000 cfs		1	0	0	1	1	2	5	16	52	163	521	1,633	
000 to 10,000 cfs		0	0	0	0	0	1	1	2	5	16	52	163	
),000 cfs or t Lakes		0	0	0	0	0	0	0	1	1	2	5	16	
le Mixing Zone		10	1	3	8	26	82	261	816	2,607	8,162	26,068	81,623	
Nearest Intake =												Score =		

SI TABLE 11: SURFACE WATER TYPE / FLOW CHARACTERISTICS WITH DILUTION WEIGHTS FOR POTENTIAL CONTAMINATION SURFACE WATER SENSITIVE ENVIRONMENTS

Type of Surface Water Body	OR	Flow Characteristics	Dilution Weight
minimal stream		flow less than 10 cfs	1
small to moderate stream		flow 10 to 100 cfs	0.1
moderate to large stream		flow greater than 100 to 1,000 cfs	
large stream to river		flow greater than 1,000 to 10,000 cfs	
large river		flow greater than 10,000 cfs	
3-mile mixing zone of quiet flowing streams or rivers		flow 10 cfs or greater	
coastal tidal water (harbors, sounds, bays, etc.), ocean, or Great Lakes		N/A	

CONFIDENTIAL - NOT FOR PUBLIC RELEASE

CONFIDENTIAL -

DRAFT NOT FOR PUBLIC RELEASE

Site Name: MHPS
Date:

SURFACE WATER PATHWAY (continued)
HUMAN FOOD CHAIN THREAT WORKSHEET

HUMAN FOOD CHAIN THREAT TARGETS

Score	Data Type	Reference

8. Determine the water body types and flows (if applicable) for all fisheries within the 15-mile target distance limit. If there are no fisheries within the target distance limit, assign a score of 0 at the bottom of this page and proceed to page 18.

Fishery Name (Species or Water Body)	Water Body Type	Flow
Hackensack River	River	> 1,000 cfs
Newark Bay	Coastal Tidal	— cfs
	waters	N/A cfs
		cfs
		cfs

9. ACTUAL CONTAMINATION FISHERIES: If you have identified any Actual Contamination Fisheries, record contaminant infomation on SI Table 12. Assign a score of 50 if any are Level I fisheries, or 45 if all are Level II. In either case, do not evaluate Potential Contamination Fisheries.

10. POTENTIAL CONTAMINATION FISHERIES: If you have not identified any Actual Contamination Fisheries, assign a Potential Contamination Fisheries score from the table below using the LOWEST flow at any fishery within the 15-mile target distance limit.

Lowest Flow	Potential Fisheries Score
< 10 cfs	21
10 to 100 cfs	3
> 100 cfs, coastal tidal waters, oceans, or Great Lakes	1

1

T = 1

CONFIDENTIAL -
DRAFT NOT FOR PUBLIC RELEASE

Site Name: MHPS
Date:

SURFACE WATER PATHWAY (continued)
ENVIRONMENTAL THREAT WORKSHEET

ENVIRONMENTAL THREAT TARGETS

Score | Data Type | Reference

11. Determine the water body types and flows (if applicable) for all surface water sensitive environments within the 15-mile target distance limit (see SI Tables 14 and 15). If there are no sensitive environments within the 15-mile target distance limit, assign a Targets score of 0 at the bottom of this page, and proceed to page 20.

Environment Name and Type	Water Body Type	Flow
WETLANDS	BERRYS CREEK	TIDAL cfs
FED. END. SPECIES HABITAT	BERRYS CREEK	TIDAL cfs
STATE THREAT. SPECIES HABITAT	BERRYS CREEK	TIDAL cfs
WETLANDS ALONG DRAINAGE PATHWAY		cfs
FROM SITE TO BERRYS CREEK	SMALL STREAM	< 100 cfs

12. ACTUAL CONTAMINATION SENSITIVE ENVIRONMENTS: If sampling data indicate any sensitive environment has been exposed to hazardous substances from the site, record this information on SI Table 13, and assign a factor score using the environment value from SI Table 14 or 15.

Environment Name	Environment Type and Value (SI Tables 14 or 15)		Multiplier (10 for Level I, 1 for Level II)		Product
		x		=	
		x		=	
		x		=	
		x		=	

13. POTENTIAL CONTAMINATION SENSITIVE ENVIRONMENTS:

A. For Potentially Contaminated Sensitive Environments located on surface water bodies with flows of 100 cfs or less, assign scores as follows:

Flow		Dilution Weight (SI Table 11)		Environment Type and Value (SI Tables 14 or 15)			Product
≈ 99	cfs	0.1	x	WETLAND (25)	x	0.1 =	0.25
	cfs		x		x	0.1 =	
	cfs		x		x	0.1 =	
	cfs		x		x	0.1 =	
	cfs		x		x	0.1 =	

Sum = 0.25

B. If any Potentially Contaminated Sensitive Environments are located on surface water bodies with flows of greater than 100 cfs, assign a score of 1.

1

T = 1.25

DRAFT
JUN 25 1991

CONFIDENTIAL - NOT FOR PUBLIC RELEASE

Site Name: MHPS
Date:

SI TABLE 14: SURFACE WATER AND AIR SENSITIVE ENVIRONMENTS VALUES

Sensitive Environment	Assigned Value
Critical habitat for Federally designated endangered or threatened species	100
Marine Sanctuary	
National Park	
Designated Federal Wilderness Area	
Ecologically important areas identified under the Coastal Zone Wilderness Act	
Sensitive Areas identified under the National Estuary Program or Near Coastal Water Program of the Clean Water Act	
Critical Areas identified under the Clean Lakes Program of the Clean Water Act (subareas in lakes or entire small lakes)	
National Monument (Air Pathway Only)	
National Seashore Recreation Area	
National Lakeshore Recreation Area	
Habitat known to be used by Federally designated or proposed endangered or threatened species	75
National Preserve	
National or State Wildlife Refuge	
Unit of Coastal Barrier Resources System	
Federal land designated for the protection of natural ecosystems	
Administratively Proposed Federal Wilderness Area	
Spawning areas critical for the maintenance of fish/shellfish species within a river system, bay or estuary	
Migratory pathways and feeding areas critical for the maintenance of anadromous fish species within river reaches or areas in lakes or coastal tidal waters in which the fish spend extended periods of time	
Terrestrial areas utilized by large or dense aggregations of vertebrate animals (semi-aquatic foragers) for breeding	
National river reach designated as recreational	
Habitat known to be used by State designated endangered or threatened species	50
Habitat known to be used by a species under review as to its Federal endangered or threatened status	
Coastal Barrier (partially developed)	
Federally designated Scenic or Wild River	
State land designated for wildlife or game management	25
State designated Scenic or Wild River	
State designated Natural Area	
Particular areas, relatively small in size, important to maintenance of unique biotic communities	
State designated areas for the protection or maintenance of aquatic life under the Clean Water Act	5
Wetlands	See SI Table 15 (Surface Water Pathway) or SI Table 20 (Air Pathway)

SI TABLE 15: SURFACE WATER WETLANDS FRONTAGE VALUES

Total Length of Wetlands	Assigned Value
Less than 0.1 mile	0
0.1 to 1 mile	25
Greater than 1 to 2 miles	50
Greater than 2 to 3 miles	75
Greater than 3 to 4 miles	100
Greater than 4 to 8 miles	150
Greater than 8 to 12 miles	250
Greater than 12 to 16 miles	350
Greater than 16 to 20 miles	450
Greater than 20 miles	500

DRAFT CONFIDENTIAL - NOT FOR PUBLIC RELEASE

Site Name: MHPS
Date:

SURFACE WATER PATHWAY (concluded)
WASTE CHARACTERISTICS, THREAT, AND PATHWAY SCORE SUMMARY

WASTE CHARACTERISTICS

	Score
14. If you have identified any Actual Contamination Targets for surface water, assign the hazardous waste quantity score calculated on page 4, or a score of 100, whichever is GREATER; if you have NOT identified any Actual Contamination Targets for surface water, assign the hazardous waste quantity score calculated on page 4.	10

15. Assign the highest value from SI Table 3 or 8 for the hazardous substance factors listed below. Multiply each by the surface water waste quantity score, and determine the waste characteristics score for each threat using the table below.

	Substance Value		Hazardous Waste Quantity		Product	WC Score (from table)	
Drinking Water Threat Toxicity/Persistence	10,000	x	10	=	100,000	18	(maximum of 100)
Food Chain Threat Toxicity/Persistence/ Bioaccumulation	5×10^8	x	10	=	5×10^9	180	(maximum of 1,000)
Environmental Threat Ecotoxicity/Persistence/ Ecobioaccumulation	5×10^8	x	10	=	5×10^9	180	(maximum of 1,000)

Product	WC Score	Product	WC Score
0	0	1E+06 to <1E+07	32
>0 to <10	1	1E+07 to <1E+08	56
10 to <100	2	1E+08 to <1E+09	100
100 to <1,000	3	1E+09 to <1E+10	180
1,000 to <10,000	6	1E+10 to <1E+11	320
10,000 to <1E+05	10	1E+11 to <1E+12	560
1E+05 to <1E+06	18	1E+12 or greater	1000

SURFACE WATER PATHWAY THREAT SCORES

Threat	Likelihood of Release (LR) Score (from page 14)	Targets (T) Score	Threat Waste Characteristics (WC) Score (determined above)	Threat Score LR x T x WC/82.5
Drinking Water	500	0	18	(maximum of 100) 0
Human Food Chain	500	1	180	(maximum of 100) 1.09
Environmental	500	1.25	180	(maximum of 60) 1.36

SURFACE WATER PATHWAY SCORE
(Drinking Water Threat + Human Food Chain Threat + Environmental Threat)
(subject to a maximum of 100) 2.45

CONFIDENTIAL -
NOT FOR PUBLIC RELEASE

Site Name: MHPS
Date:

SOIL EXPOSURE PATHWAY WORKSHEET

NOV 6 1991

LIKELIHOOD OF EXPOSURE	Score	Data Type	References
1. OBSERVED CONTAMINATION: If evidence indicates presence of surficial contamination (depth of 2 feet or less), assign a score of 550; otherwise, assign 0. Note that a likelihood of exposure score of 0 results in a soil exposure score of 0 (page 23).	550		
LE =	550		

RESIDENT POPULATION THREAT TARGETS			
2. RESIDENT POPULATION: Determine the number of people occupying residences or attending school or daycare on or within 200 feet of areas of surficial contamination. Calculate the concentration level on SI Table 15 and enter the number of people: Level I: _____ people x 10 = _____ Level II: _____ people x 1 = _____ Total =	0		
3. RESIDENT INDIVIDUAL: Assign a score of 50 if any Level I resident population exists. Assign a score of 45 if there are Level II targets but no Level I targets. If no resident population exists, assign 0.	0		
4. WORKERS: Assign a score from the table below for the total number of workers at the site and nearby facilities with areas of surficial contamination associated with the site:	5		
5. TERRESTRIAL SENSITIVE ENVIRONMENTS: Use SI Table 16 to assign a value for each terrestrial sensitive environment on an area of surficial contamination:			
Sum =	0		
6. RESOURCES	0		
T =	5		

Number of Workers	Score
0	0
1 to 100	5
101 to 1,000	10
>1,000	15

Terrestrial Sensitive Environment Type	Value

DRAFT

Site Name: MHPS
Date:

SOIL EXPOSURE PATHWAY WORKSHEET (continued)

WASTE CHARACTERISTICS

7. Assign the hazardous waste quantity score calculated on page 4.	10	
8. Assign the highest toxicity value from SI Table 15.	10,000	
9. Multiply the toxicity and waste quantity scores. Assign the Waste Characteristics score from the table below:	WC = 18	

Product	WC Score	Product	WC Score
0	0	10,000 to <1E+0	10
>0 to <10	1	1E+05 to <1E+0	18
10 to <100	2	1E+06 to <1E+0	32
100 to <1,000	3	1E+07 to <1E+0	56
1,000 to <10,000	6	1E+08 or greater	100

RESIDENT POPULATION THREAT SCORE: $\frac{LE \times T \times WC}{82{,}500}$ = 0.6

NEARBY POPULATION THREAT SCORE: 1

Population within one mile: 8,070

SOIL EXPOSURE PATHWAY SCORE:
Resident Population Threat + Nearby Population Threat 1.6

Nearby Population Threat Score: Assign a score based on the population within a 1-mile radius (use the 1-mile radius population for the air pathway)

Population Within One Mile	Nearby Population Threat Score
<10,000	1
10,000 to 50,000	2
>50,000	4

CONFIDENTIAL - NOT FOR PUBLIC RELEASE

Site Name: MHPS
Date:

AIR PATHWAY WORKSHEET

LIKELIHOOD OF RELEASE	Score	Data Type	References
1. OBSERVED RELEASE: If sampling data or direct observation support a release to air, assign a score of 550. Record observed release substances on SI Table 17.			
2. NO OBSERVED RELEASE: If sampling data do not support a release to air, assign a score of 500.	500		
LR =	500		

TARGETS	Score	Data Type	References
3. ACTUAL CONTAMINATION POPULATION: Determine the number of people subject to exposure from a release of a hazardous substance to the air. Calculate levels of exposure on SI Table 17. Level I: _____ people x 10 = _____ Level II: _____ people x 1 = _____ Total =	0		
4. POTENTIAL TARGET POPULATION: Determine the number of people not subject to exposure from a release of a hazardous substance to the air, and assign the total population score from SI Table 18.	78		
5. NEAREST INDIVIDUAL: Assign a score of 50 if there are any Level I targets. Assign a score of 45 if there are Level II targets but no Level I targets. If no Actual Contamination Population exists, assign the Nearest Individual score from SI Table 18.	20		
6. ACTUAL CONTAMINATION SENSITIVE ENVIRONMENTS: Sum the sensitive environment values (SI Table 13) and wetland acreage values (SI Table 19) for environments subject to exposure from the release of a hazardous substance to the air.			

Sensitive Environment Type	Value

Wetland Acreage	Value

Sum =

7. POTENTIAL CONTAMINATION SENSITIVE ENVIRONMENTS: Use SI Table 20 to determine the score for sensitive environments not subject to exposure from a release.	1.71		
8. RESOURCES	0		
T =	99.71		

DRAFT

JUN 25 1991

Site Name: MHPS
Date:

SI TABLE 19: VALUES FOR POTENTIAL CONTAMINATION AIR TARGET POPULATIONS

Distance from Site	Population	Nearest Individual (choose highest)	Population Within Distance Category: 1 to 10	11 to 20	21 to 100	101 to 300	301 to 1,000	1,001 to 3,000	3,001 to 10,000	10,001 to 30,000	30,001 to 100,000	100,001 to 300,000	300,001 to 1,000,000	1,000,001 to 3,000,000	Population Value
Onsite	90	(20)		2	(5)	16	52	163	521	1,633	5,214	16,325	52,136	163,246	5
0 to ¼ mile	0	20	1	1	1	4	13	41	130	408	1,303	4,081	13,034	40,811	0
¼ to ½ mile	410	2	0	0	1	1	(3)	9	28	88	282	882	2,815	8,815	3
½ to 1 mile	2,660	1	0	0	0	1	1	3	(8)	26	83	261	834	2,612	8
1 to 2 miles	43,270	0	0	0	0	0	1	1	3	8	(27)	83	266	833	27
2 to 3 miles	69,570	0	0	0	0	0	1	1	1	4	(12)	38	120	376	12
3 to 4 miles	141,780	0	0	0	0	0	0	1	1	2	7	(23)	73	229	23
Nearest individual =		20											Score =		78

SI TABLE 20: AIR PATHWAY VALUES FOR WETLAND AREA

Less than 1 acre	0
1 to 50 acres	25
Greater than 50 to 100 acres	75
Greater than 100 to 150 acres	125
Greater than 150 to 200 acres	175
Greater than 200 to 300 acres	250
Greater than 300 to 400 acres	350
Greater than 400 to 500 acres	450
Greater than 500 acres	500

SI TABLE 21: DISTANCE WEIGHTS AND CALCULATIONS FOR AIR PATHWAY POTENTIAL CONTAMINATION SENSITIVE ENVIRONMENT

Distance	Distance Weight	Sensitive Environment	Environment Value
Onsite	0.10	x	
		x	
0-1/4 mi	0.025	x WETLANDS = 33 ACRES (25)	0.625
		x	
		x	
1/4-1/2mi	0.0054	x WETLANDS = 81 ACRES (75)	0.405
		x FED. END. SPECIES HABITAT (75)	0.405
		x STATE THREAT. SPECIES HABITAT 2(25)	0.27
		x	
Total Environments Score =			1.71

CONFIDENTIAL - NOT FOR PUBLIC RELEASE

DRAFT

CONFIDENTIAL -
NOT FOR PUBLIC RELEASE

Site Name: MHPS
Date:

JUN 25 1991

AIR PATHWAY (concluded)

WASTE CHARACTERISTICS

9. If you have identified any Actual Contamination Targets for the air pathway, assign the hazardous waste quantity score calculated on page 4, or a score of 100, whichever is GREATER; if you have NOT identified any Actual Contamination Targets for the air pathway, assign the hazardous waste quantity score calculated on page 4.	10	
10. Assign the highest air toxicity/mobility value from SI Table 3 or 18.	2	
11. Multiply the air pathway toxicity/mobility and waste quantity scores. Assign the Waste Characteristics score from the table below:	WC = 2	

Product	WC Score	Product	WC Score
0	0	10,000 to <1E+05	10
>0 to <10	1	1E+05 to <1E+06	18
10 to <100	2	1E+06 to <1E+07	32
100 to <1,000	3	1E+07 to <1E+08	56
1,000 to <10,000	6	1E+08 or greater	100

AIR PATHWAY SCORE:
(subject to a maximum of 100)

$$\frac{LR \times T \times WC}{82{,}500} = 1.21$$

DRAFT

CONFIDENTIAL -
NOT FOR PUBLIC RELEASE

Site Name: MHPS
Date:

SITE SCORE CALCULATION

	S	S^2
GROUND WATER PATHWAY SCORE (S_{gw}):	5.09	25.91
SURFACE WATER PATHWAY SCORE (S_{sw}):	2.45	6.00
SOIL EXPOSURE PATHWAY SCORE (S_{se}):	1.6	2.56
AIR PATHWAY SCORE (S_a):	1.21	1.46
SITE SCORE: $\sqrt{\frac{S_{gw}^2+S_{sw}^2+S_{se}^2+S_a^2}{4}}$ =		3.00